

Z482 (1500 rpm)

EU Stage V

Engine Specifications

Dimensions

Related Information

[← Back](#)

Z482 (1500 rpm)

Contact

CSV

EU Stage V



Z482 (1500 rpm)

Engine Specifications

Dimensions

Related Information

Find a dealer

> Generator Diesel ENGINE

> Kubota BG Series



Engine Specifications

Engine model Z482 (1500 rpm)

Emission regulation EU Stage V

Type Vertical, water cooled 4-cycle diesel engine

Cylinders 2

Bore and Stroke mm(in) 67.0 x 68.0 (2.64 x 2.68)

Displacement L (cu.in) 0.479 (29.23)

Aspiration Naturally aspirated



Z482 (1500 rpm)

EU Stage V

Engine Specifications	Dimensions	Related Information
Stand-by output / speed kW (HP) / rpm	3.6 (4.8) / 1500	
Continuous output / speed ^{*2} kW (HP) / rpm	3.4 (4.6) / 1500	
Combustion system	Indirect injection	
Fuel system	In-line pump	
Length x Width x Height ^{*3} (without aftertreatment unit) mm (in)	428 x 433 x 564 (16.9 x 17.0 x 22.2)	
Length x Width x Height ^{*4} (with aftertreatment unit) mm (in)	-	
Dry weight kg (lb)	81 (179)	

Specifications are subject to change without notice.

Dimensions and dry weight are according to Kubota's standard specification.

Dimensions and weight depend on completed specifications.

*1: SAE J1349 net stand-by

*2: SAE J1349 net continuous

*3: Exclude cooling fan and exclude aftertreatment unit

*4: Exclude cooling fan and include aftertreatment unit on engine

Dimensions

