Diesel Particulate Filter (DPF)

Powering a Cleaner Future

The Diesel Particulate Filter is the perfect solution for diesel generator emissions control. It cleans the exhaust of stationary engines, bringing your generator into emission compliance in a worry-free and cost-effective way.

Flue Gas	Performance
Particulate Matter Reduction	90–95 %
CO Reduction	90 %
Black Smoke	Reduced
Engine Noise	Reduced

Pictures for Filters and fittings could vary from actual product.

Key Features:

- The Diesel Particulate Filter (DPF) is designed for diesel generator emission control, ensuring compliance with international standards.
- Reduces harmful emissions and noise, improving environmental and operational performance.
- Easy integration with most diesel generator systems without affecting engine performance.
- Modular design allows easy dismantling for inspection and maintenance.
- Built to last under harsh environmental and operational conditions.

Product Range:

Model	Genset Rating Power (KVA)	Description
DPF30-80	30-80	Cordierite Ceramic Honeycomb Substrate (200-300 CPS), Encapsulated in Rugged Steel Housing for ultimate soot trapping
DPF100-150	100-150	
DPF300	300	

Form and Structure

Encapsulation:
Rugged stainless-steel housing protects the ceramic substrate.

Maintenance:
Dismantlable design allows quick substrate service or replacement.

Longevity:
Corrosion-resistant and vibration-proof.

Technical Specifications

Product Model	DPF Series
Compatibility	Generators from 30 KVA to 2000 KVA
Core Material	Cordierite Ceramic Honeycomb Substrate (200–300 CPS)
Body Material	T409L Stainless Steel (Corrosion & Acid/Alkali Resistant)
Function	Reduces CO, HC, NOx Emissions (>90 % Conversion Efficiency)/ Engine Noise
Design	Compact, modular, easy to service

Maintenance Considerations

- Monitor DPF condition regularly, as improper regeneration can lead to clogging over time.
- Address clogged DPFs promptly, since they can reduce engine performance and increase fuel consumption.
- Perform periodic DPF flushing to maintain system efficiency.
- Inspect the DPF every 2 years under normal operating conditions to ensure proper performance.

www.ghaddar.com

Head Quarters & Factory - Ghazieh, Sidon, Lebanon Tel: +961 7 220 000 Fax: +961 7 221 754 / 223 322 P.O.Box: 110 Sidon - E-mail: info@ghaddar.com **Beirut Branch -** Tel: +961 1 847 770 Fax: +961 1 847 775
UAE - Rich Motor Co. FZE Hamriyah Free Zone, Phase II, Sharjah, UAE - Tel: +971 6 526 9111, E-mail: ghaddar@richmotor.com - P.O.Box: 49353 Sharjah.
Nigeria - 10A Akin Adesola Street, Victoria Island, Lagos - Tel: +234 706 890 9333 - Email: drm@genbriteng.com
Saudi Arabia - Rabigh Industrial City, Yanbu Highway, Exit 927, Petro Rabigh Bridge, Rabigh, KSA. Tel: +966 58 373 6543 E-mail: ahmad@ghaddar.com
Iraq - Baghdad, Al Karrada, Al Taharriyat Square, facing the Orthodox Cathedral, Tel: +964 782 112 1122 E-mail: m.najem@ghaddar.com